

# RECOMMENDED USE

ELEMENTAL

LVT DRYBACK FLOORING

BY ASPECTA

## HEALTHCARE

	12mil	22mil
Cafeterias/Dining	NR	HR
Chapels	R	HR
Corridors	NR	HR
Critical/Intensive Care	NR	NR
Delivery Rooms (Maternity Wards)	NR	NR
Dialysis	NR	R
Elevators	NR	HR
Emergency Room Areas	NR	NR
Exam/Procedure Rooms	R(1)	HR(1)
Gift Shops	R	HR
Hyperbaric Rooms	NR	NR
Lobbies	NR	HR
Nurses Stations	NR	HR
Offices/Administrative/Conference Rooms	R	HR
Operating Rooms	NR	NR
Patient Rooms	NR	HR(6)
Patient Rooms - Restrooms (Within)	NR	HR(6)
Pharmacies	R	HR
Physical Therapy/Occupational Therapy - Dry	NR	HR(4)
Physical Therapy/Occupational Therapy - Wet	NR	NR
Ramps/Ramped Corridors (Dry)	NR	NR
Restrooms (Public)	NR	NR
Scrub Areas	NR	NR
Speech Therapy	R	HR
Stairways/Landings	NR	R
Staff Lounges	R	HR
Testing Areas (MRI, CAT-Scan, X-Ray, Etc.)	NR	HR(1)
Utility/Storage Rooms/Filing	R	HR
Waiting Rooms	R	HR

## ASSISTED LIVING / MILITARY HOUSING / LIGHT COMMERCIAL

	12mil	22mil
Activity Rooms/Common Areas	R	HR
Beauty Salons/Barber Shops - Work Areas	NR	HR(3)
Corridors	R	HR
Daycare Areas	R	HR
Dining Areas	NR	HR
Doctor/Dentist Offices - Examination Rooms	R	HR
Doctor/Dentist Offices - Reception	R	HR
Lobbies	R	HR
Physical Therapy - Dry	R(4)	HR(4)
Residence Bathrooms	R	HR
Residence Kitchens	R	HR
Residence Rooms/Barracks	R	HR

## TRANSPORTATION & PUBLIC SPACES

	12mil	22mil
Airports/Railway Stations/Bus Terminals	NR	R
Boutique Art Galleries	R	HR
Civic/Convention Centers	NR	HR
Museums/Cultural Centers	NR	HR
Planes and Trains	NR	NR
Private (Non-Commercial) Boats & Yachts	NR	R
RVs, Campers, Trailers, and Mobile Homes	NR	R

## EDUCATIONAL / INSTITUTIONAL

	12mil	22mil
Auditoriums	NR	HR
Cafeterias/Dining	NR	HR
Classrooms/Lecture Halls	R	HR
Computer Labs	R(1)	HR(1)
Corridors	NR	HR
Dormitory Rooms	HR	HR
Food Service Areas	R(2)	HR(2)
Gymnasiums	NR	R
Laboratories	R	HR
Libraries	R	HR
Locker Rooms (No Spikes)	NR	NR
Multipurpose Rooms/Cafeteriums	NR	HR
Offices/Administrative/Conference Rooms	R	HR
Physical Therapy/Occupational Therapy	R(4)	HR(4)
Ramps/Ramped Corridors (Dry)	NR	NR
Restrooms	NR	NR
Showers/Shower Rooms	NR	NR
Stairways/Landings	NR	R
Teachers' Lounges	R	HR
Utility/Storage Areas	R	HR
Vestibules/Entryways/Foyers	NR	HR

## CORPORATE / OFFICE

	12mil	22mil
Computer Rooms	R(1)	HR(1)
Copier Rooms	R	HR
Corridors	R	HR
Elevators	NR	HR
Lobbies	R	HR
Lunchrooms	R	HR
Offices/Conference Rooms	R	HR
Restrooms	NR	R
Stairways/Landings	NR	R
Utility/Storage Rooms	R	HR

## HOSPITALITY

	12mil	22mil
Around Whirlpools/Spas	NR	NR
Casino Floors (Tables/Slots)	NR	HR
Corridors	R	HR
Dance Halls/Night Clubs - Dance Floors	NR	R
Dining Rooms	NR	HR
Elevators	NR	R
Exercise Rooms	NR	HR(5)(6)
Guest Bathrooms	R	HR
Guest Rooms	R	HR
Lobbies	R	HR
Lounges	R	HR
Stairways/Landings	NR	R
Vending Areas	NR	HR(6)

## RETAIL / SALES

	12mil	22mil
Automobile Showrooms	NR	R(7)
Checkout/Cash Wraps	NR	HR
Dept. Stores/Mass Merchants - Vignettes	R	HR
Dept. Stores/Mass Merchants - Other Areas	NR	HR
Food Service Areas	R(2)	HR(2)
Grocery Stores	NR	R
Indoor Mall Common Areas	NR	R
Specialty Shops/Areas	R	HR

## LIGHT INDUSTRIAL

	12mil	22mil
Clean Rooms	NR	NR
Computer Repair Labs	NR	NR
Electronics Testing Labs	NR	NR
Electronics Manufacturing	NR	NR
Environmental Conditioning Units	NR	HR
Photo Processing	NR	HR
Production Laboratories	NR	HR
Research Laboratories	NR	HR
Small Parts Assemblies	NR	R
Sterile Packaging	NR	NR
Warehouses	NR	NR

### KEY

HR = HIGHLY RECOMMENDED R = RECOMMENDED  
NR = NOT RECOMMENDED

### NOTES

- (1) Not recommended for sensitive areas requiring conductive or dissipative flooring
- (2) Not recommended for commercial kitchen areas or food preparation areas
- (3) Use only non-urethane products in Beauty Salons/Barber Shops that dye/color
- (4) Use protective mats underneath Physical Therapy equipment
- (5) Use protective mats underneath Exercise equipment; refrain from dropping free weights on flooring
- (6) Two-part epoxy adhesive to be used for installation in these areas
- (7) Protect areas directly underneath tires from staining