# **TEKNOFLOR™** Rare Plank HPD™ by HMTX Industries, LLC

**Health Product Declaration v2.3** 

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 374194850816 CLASSIFICATION: 09 65 19.23 Vinyl Tile Flooring PRODUCT TYPE: Solid Vinyl Floor Tile (Resilient)

PRODUCT DESCRIPTION: TEKNOFLOR® Rare Plank HPD™ is the brand's first ever luxury vinyl plank, designed to offer the look of real wood in a durable, modern and low-maintenance design. Twenty-two traditional, realistic wood visuals are now available in 7 in. x 47 in. planks that are made from 100% virgin vinyl and are phthalate-free. The planks stand true to the Teknoflor brand's signature low-maintenance qualities, requiring no wax and no buff. Each plank is cut from one large piece of print film, providing a realistic and beautiful variation within each carton. This warm wood look will fill any space with rich beauty for years to come. For more information, contact your Teknoflor representative.

# Section 1: Summary

### **Basic Method / Product Threshold**

#### **CONTENT INVENTORY**

**Inventory Reporting Format** 

- C Nested Materials Method
- Basic Method

**Threshold Disclosed Per** 

- Material
- Product

**Threshold Level** 

- C 1,000 ppm
- C Per GHS SDS
- Other

Residuals/Impurities Evaluation

- Completed
- Partially Completed
- Not Completed

Explanation(s) provided:

Yes ○ No

For all contents above the threshold, the manufacturer has:

Characterized

Yes ○ No.

Yes ○ No

Ves ○ No.

Provided weight and role.

Screened

Provided screening results using HPDC-approved

methods. Identified

Provided name and CAS RN or other identifier.

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

TEKNOFLOR™ RARE PLANK HPD™ [ POLYVINYL CHLORIDE LT-P1 MAM CALCIUM MAGNESIUM CARBONATE NoGS DI(2-ETHYLHEXYL) TEREPHTHALATE BM-3dg OCTADECANOIC ACID, CALCIUM SALT LT-UNK OCTADECANOIC ACID, ZINC SALT LT-UNK | AQU BUTANAMIDE, 2,2'-[(3,3'-DICHLORO[1,1'-BIPHENYL]-4,4'-DIYL)BIS(AZO)]BIS[N-(4-CHLORO-2,5-DIMETHOXYPHENYL)-3-OXO-LT-P1 | EYE | AQU OXYBIS(METHYL-2,1-ETHANEDIYL) DIACRYLATE LT-UNK | SKI | EYE POLY(OXY-1,2-ETHANEDIYL), α-(1-OXO-2-PROPENYL) -ω-[(1-OXO-2-PROPENYL)OXY]- LT-UNK CALCIUM CHLORIDE LT-UNK | EYE | MAM | SKI TITANIUM DIOXIDE BM-1 | CAN | END | MAM HEXANEDIOIC ACID, POLYMER WITH 1,2-ETHANEDIOL AND 1,6-DIISOCYANATO-2,2,4(OR 2,4,4)-TRIMETHYLHEXANE, 2-HYDROXYETHYL ACRYLATE-BLOCKED NoGS 2-PROPENOIC ACID, 1,6-HEXANEDIYL ESTER LT-P1 | SKI | MUL | EYE | AQU ]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ...

LT-P1, BM-1

Nanomaterial ... No

#### INVENTORY AND SCREENING NOTES:

This HPD was created with Basic Inventory.

#### **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional

listings.

VOC emissions: RFCI FloorScore

#### **CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

Yes No

PREPARER: Self-Prepared

VERIFIER: **VERIFICATION #:**  SCREENING DATE: 2024-01-23 PUBLISHED DATE: 2024-01-23 EXPIRY DATE: 2027-01-23

# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- · Basic Inventory method with Product-level threshold.
- · Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

#### TEKNOFLOR™ RARE PLANK HPD™

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No

RESIDUALS AND IMPURITIES NOTES: While this product does not meet the qualifications for "Residuals & Impurities - Considered", we have: 1) disclosed all known, intentionally-added ingredients; 2) tested this product to ensure it is free of red list heavy metals, phthalate-free, formaldehydefree, complies with REACH SVHC, and meets VOC emissions/indoor air quality requirements per FloorScore® / California Section 01350.

OTHER PRODUCT NOTES: We have disclosed all known, intentionally-added ingredients.

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-01-23 13:48:	
%: <b>38.0000 - 56.7250</b>	GreenScreen: LT-P1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE	<u> </u>	WARNINGS	
MAM	GHS - Japan		H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]	
MAM	GHS - Japan		repeated exposure	mage to organs through prolonged or [Specific target organs/systemic toxicity exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	<u> </u>	NOTIFICATION	
RESTRICTED LIST	Perkins+Will (P+W)		P&W - Precautiona	ary List
			Precautionary list of avoidance	of substances recommended for
RESTRICTED LIST	Cradle to Cradle Products I (C2CPII)	nnovation Institute	C2C Certified v4 P List (RSL) - Effective	roduct Standard Restricted Substances ve July 1, 2022
			Core Restrictions	
RESTRICTED LIST	International Living Future	Institute (ILFI)	Living Building Cha Chemicals - Effecti	allenge 4.0 - Red List of Materials & ve April 1, 2023
			Red List substance V4.0 projects	es to avoid in Living Building Challenge

### **CALCIUM MAGNESIUM CARBONATE**

ID: 16389-88-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2024-01-23 13:48:51

%: 30.0000 - 36.2250	GreenScreen: NoGS	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warn	ings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No I	istings found on Additional Hazard Lists
SUBSTANCE NOTES:				

DI(2-ETHYLHEXYL) TERE	PHTHALATE			ID: <b>6422-86-2</b>
HAZARD DATA SOURCE:	Pharos Chemical and Materials Libra	ıry	HAZARD S	SCREENING DATE: 2024-01-23 13:48:51
%: 10.9300 - 23.1000	GreenScreen: BM-3dg	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Plasticizer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No wa	rnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute	(GSPI)	GSPI - Six Classe	es Precautionary List
			Some Solvents	

HAZARD DATA SOURCE:	Pharos Chemical and Materials Librar	y	HAZARD S	CREENING DATE: 2024-01-23 13:48:51
%: 0.4650 - 1.4780	GreenScreen: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Stabilizer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	rnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

OCTADECANOIC ACID,	ZINC SALT			ID: <b>557-05-1</b>
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD S	CREENING DATE: 2024-01-23 13:48:51
%: 0.4650 - 1.4780	GreenScreen: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Stabilizer

SUBSTANCE NOTES:

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
SUBSTANCE NOTES:		

BUTANAMIDE, 2,2'-[(3,3'-DICHLORO[1,1'- BIPHENYL]-4,4'-DIYL)BIS(AZO)]BIS[N-(4-CHLORO-2,5 -DIMETHOXYPHENYL)-3-OXO-

ID: 5567-15-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-01-23 13:48			
%: 0.0200 - 0.2500	GreenScreen: LT-P1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Ink	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
EYE	GHS - New Zealand	GHS - New Zealand		Eye irritation category 2	
AQU	GHS - New Zealand		Hazardous to the a	quatic environment - chronic category 3	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
RESTRICTED LIST	Cradle to Cradle Products I (C2CPII)	nnovation Institute	C2C Certified v4 Pr List (RSL) - Effective	roduct Standard Restricted Substances re July 1, 2022	
			Core Restrictions		

# OXYBIS(METHYL-2,1-ETHANEDIYL) DIACRYLATE

SUBSTANCE NOTES:

ID: **57472-68-1** 

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD S	SCREENING DATE: 2024-01-23 13:48:51	
%: 0.0300 - 0.2000	GreenScreen: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Monomer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
SKI	GHS - New Zealand		Skin irritation cate	egory 2
EYE	GHS - New Zealand		Eye irritation cate	gory 2
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	o listings found on Additional Hazard Lists

# POLY(OXY-1,2-ETHANEDIYL), $\alpha$ -(1-OXO-2-PROPENYL) - $\omega$ -[(1-OXO-2-PROPENYL)OXY]-

ID: 26570-48-9

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	1	HAZARD S	SCREENING DATE: 2024-01-23 13:48:51
%: 0.0250 - 0.1750	GreenScreen: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Monomer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No wa	rnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	o listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

HAZARD DATA SOURCE: Ph	naros Chemical and Materials Li	s Chemical and Materials Library		SCREENING DATE: 2024-01-23 13:48:5	
%: <b>0.0100 - 0.1500</b>	GreenScreen: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Impact modifier	
HAZARD TYPE	LIST NAME AND SOURCE	≣	WARNINGS		
EYE	EU - GHS (H-Statements)	EU - GHS (H-Statements) Annex 6 Table 3-1		serious eye irritation [Serious eye tation - Category 2A]	
MAM	GHS - Japan	GHS - Japan		se respiratory irritation [Specific target Single exposure - Category 3]	
SKI	GHS - New Zealand	GHS - New Zealand		Skin irritation category 2	
EYE	GHS - New Zealand	GHS - New Zealand		Eye irritation category 2	
EYE	GHS - Australia	GHS - Australia		H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]	
EYE	GHS - Japan	GHS - Japan		serious eye damage [Serious eye damage / ategory 1]	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	LIST NAME AND SOURCE			
POSITIVE LIST	US Environmental Protection	on Agency (US	US EPA - DfE S	Safer Chemicals Ingredients list (SCIL)	
	•		Enzymes and S Concern)	tabilizers - Green Circle (Verified Low	

TITANIUM DIOXIDE ID: 13463-67-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-01-23 13:48:51

%: 0.0100 - 0.1500	GreenScreen: BM-1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Pigment	
HAZARD TYPE	LIST NAME AND SOURCE	LIST NAME AND SOURCE			
CAN	US CDC - Occupational Carcinoger	US CDC - Occupational Carcinogens		Occupational Carcinogen	
CAN	CA EPA - Prop 65		Carcinogen - spec	ific to chemical form or exposure route	
CAN	IARC		Group 2B - Possib from occupational	ly carcinogenic to humans - inhaled sources	
CAN	MAK			3A - Evidence of carcinogenic effects establish MAK/BAT value	
END	TEDX - Potential Endocrine Disrupt	ors	Potential Endocrine	e Disruptor	
CAN	MAK	MAK		4 - Non-genotoxic carcinogen with low	
CAN	IARC		Group 2b - Possibl	ly carcinogenic to humans	
CAN	EU - GHS (H-Statements) Annex 6	Table 3-1	H351 - Suspected Category 2]	of causing cancer [Carcinogenicity -	
CAN	GHS - Japan		H351 - Suspected Category 2]	of causing cancer [Carcinogenicity -	
MAM	GHS - Japan		repeated exposure	mage to organs through prolonged or E[Specific target organs/systemic toxicity exposure - Category 1]	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
RESTRICTED LIST	Cradle to Cradle Products Innovation (C2CPII)	on Institute	C2C Certified v4 P List (RSL) - Effection	roduct Standard Restricted Substances ve July 1, 2022	
			Children's Product	S	
RESTRICTED LIST	Cradle to Cradle Products Innovation (C2CPII)	on Institute	C2C Certified v4 P List (RSL) - Effection	roduct Standard Restricted Substances ve July 1, 2022	
			Formulated Consu	mer Products	
RESTRICTED LIST	Cradle to Cradle Products Innovation (C2CPII)	on Institute	C2C Certified v4 P List (RSL) - Effective	roduct Standard Restricted Substances ve July 1, 2022	
			Cosmetics & Person	onal Care Products	
POSITIVE LIST	US Environmental Protection Agend	cy (US	US EPA - DfE Safe	er Chemicals Ingredients list (SCIL)	
	EPA)		Colorants - Green	Circle (Verified Low Concern)	
SUBSTANCE NOTES:					

HEXANEDIOIC ACID, POLYMER WITH 1,2-ETHANEDIOL AND 1,6-DIISOCYANATO-2,2,4(OR 2,4,4)-TRIMETHYLHEXANE, 2-HYDROXYETHYL ACRYLATE-BLOCKED

ID: 141686-56-8

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-01-23 13:48:52
%: 0.0100 - 0.1000 GreenScreen: NoGS RC: None NANO: No SUBSTANCE ROLE: Coating

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

## 2-PROPENOIC ACID, 1,6-HEXANEDIYL ESTER

ID: **13048-33-4** 

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-01-23 13:48:		
%: 0.0050 - 0.0500	GreenScreen: LT-P1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Monomer	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
SKI	MAK		Sensitizing Substance Sh - Danger of skin sensitization		
MUL	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters		
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1		H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]		
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1		H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]		
SKI	GHS - New Zealand		Skin irritation category 2		
EYE	GHS - New Zealand		Eye irritation category 2		
SKI	GHS - Australia		H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]		
EYE	GHS - Australia		H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]		
SKI	GHS - New Zealand		Skin sensitisation category 1		
AQU	GHS - Japan		H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]		
AQU	GHS - Japan		H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]		
ADDITIONAL LISTINGS	LIST NAME AND SOURC	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists	

SUBSTANCE NOTES:

# Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

#### **VOC EMISSIONS**

#### **RFCI FloorScore**

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All

ISSUE DATE: 2023-10-01 00:00:00 EXPIRY DATE: 2024-09-30 00:00:00 CERTIFIER OR LAB: SCS Global

Services

**CERTIFICATE URL:** 

https://www.scsglobalservices.com/certified-

clients/certificates/23081

CERTIFICATION AND COMPLIANCE NOTES: Certificate #SCS-FS-04933

# Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

#### (VARIOUS ADHESIVES)

MANUFACTURER (OR GENERIC): Teknoflor

HPD URL: No HPD Available ACCESSORY TYPE: Adhesive

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Refer to the installation manual for this product for a list of approved adhesives and their proper application.

# Section 5: General Notes

To preserve manufacturer's full warranty, please refer and adhere to the information contained in the installation manual for this product.

#### **MANUFACTURER INFORMATION**

MANUFACTURER: HMTX Industries, LLC

ADDRESS: 29 Oakwood Avenue

Norwalk, CT 06850

COUNTRY: United States of America

LATITUDE: **41.1494000** LONGITUDE: **-73.4295000**  WEBSITE: https://www.hmtxcommercial.com/

CONTACT NAME: STIC Team

TITLE: **STIC Team** PHONE: **(800) 522-9166** 

EMAIL: sustainability@hmtx.global

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

#### KEY

#### **Hazard Types**

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

END Endocrine activity

**EYE** Eye irritation/corrosivity

GEN Gene mutation

**GLO** Global warming

**LAN** Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

**NEU** Neurotoxicity

NF Not found on Priority Hazard Lists

**OZO** Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

**REP** Reproductive

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**UNK** Unknown

#### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

**BM-U** Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

**LT-1** List Translator 1 (Likely Benchmark-1) **LT-UNK** List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

#### **Recycled Types**

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

#### Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

