TEKNOFLOR™ Think Ahead by TEKNOFLOR®

Health Product Declaration v2.3

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 31304

CLASSIFICATION: 09 65 19.23 Vinyl Tile Flooring

PRODUCT DESCRIPTION: Teknoflor's Think Ahead collection of luxury vinyl tile and plank was designed to reinvent the way you look at flooring. The collection includes vibrant and inspiring designs that are constructed to uphold the heaviest of traffic with true durability and stays true to the Teknoflor brand's "No Wax, No Buff" features. Think Ahead combines exceptional beauty, durable performance and complementary designs in 39 SKUs that include traditional linen looks, contemporary whimsical designs and bright, colorful wood patterns. Think Ahead is made of 100% virgin vinyl, non-phthalate plasticizers, and is free of heavy metals - ensuring a responsible choice for retail, hospitality, corporate, healthcare, senior living and education environments.



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

C Nested Materials Method

Basic Method

Threshold Disclosed Per

O Material Product Threshold Level

C 1,000 ppm O Per GHS SDS

Other

Residuals/Impurities Evaluation

C Completed

C Partially Completed Not Completed

Explanation(s) provided:

Yes ○ No

For all contents above the threshold, the manufacturer has: Characterized Yes ○ No

Provided weight and role.

Screened Yes ○ No

Provided screening results using HPDC-approved

methods.

Identified ⊙ Yes ○ No

Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

TEKNOFLOR™ THINK AHEAD [POLYVINYL CHLORIDE LT-P1 | MAM CALCIUM MAGNESIUM CARBONATE NoGS DI(2-ETHYLHEXYL) TEREPHTHALATE BM-3dg OCTADECANOIC ACID, CALCIUM SALT LT-UNK OCTADECANOIC ACID, ZINC SALT LT-UNK | AQU BUTANAMIDE, 2,2'-[(3,3'-DICHLORO[1,1'-BIPHENYL]-4,4'-DIYL)BIS(AZO)]BIS[N-(4-CHLORO-2,5 -DIMETHOXYPHENYL)-3-OXO-LT-P1 | EYE | AQU OXYBIS(METHYL-2,1-ETHANEDIYL) DIACRYLATE LT-UNK | SKI | EYE POLY(OXY-1,2-ETHANEDIYL), α-(1-OXO-2-PROPENYL) -ω-[(1-OXO-2-PROPENYL)OXY]- LT-UNK CALCIUM CHLORIDE LT-UNK | EYE | SKI TITANIUM DIOXIDE LT-1 | CAN | END | MAM HEXANEDIOIC ACID, POLYMER WITH 1,2-ETHANEDIOL AND 1,6-DIISOCYANATO-2,2,4(OR 2,4,4)-TRIMETHYLHEXANE, 2-HYDROXYETHYL ACRYLATE-BLOCKED NoGS 2-PROPENOIC ACID,

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was created with Basic Inventory

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

1,6-HEXANEDIYL ESTER LT-P1 | SKI | MUL | EYE | AQU]

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional

VOC emissions: RFCI FloorScore

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

Yes

⊙ No

PREPARER: Self-Prepared

VERIFIER: **VERIFICATION #:** SCREENING DATE: 2023-02-09 PUBLISHED DATE: 2023-02-09 EXPIRY DATE: 2026-02-09



👶 Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

TEKNOFLOR™ THINK AHEAD

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No

RESIDUALS AND IMPURITIES NOTES: While this product does not meet the qualifications for "Residuals & Impurities - Considered", we have: 1) disclosed all known, intentionally-added ingredients; 2) tested this product to ensure it is free of red list heavy metals, phthalate-free, formaldehyde-free, complies with REACH SVHC, and meets VOC emissions/indoor air quality requirements per FloorScore® / California Section

OTHER PRODUCT NOTES: We have disclosed all known, intentionally-added ingredients.

| POLYVINYL CHLORIDE | | | | ID: 9002-86 |
|----------------------|---|------------|--------------------------------------|--|
| HAZARD DATA SOURCE: | Pharos Chemical and Materials Library | HAZARD S | CREENING DATE: | 2023-02-09 8:05:45 |
| %: 36.5000 - 55.0000 | GreenScreen: LT-P1 | RC: None | NANO: No | SUBSTANCE ROLE: Binder |
| HAZARD TYPE | LIST NAME AND SOURCE | | WARNINGS | |
| MAM | GHS - Japan | | repeated expos | damage to organs through prolonged or ure [Specific target organs/systemic g repeated exposure - Category 1] |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | | NOTIFICATION | |
| RESTRICTED LIST | Perkins+Will (P+W) | | P&W - Precautio | onary List |
| | | | Precautionary lis | st of substances recommended for |
| RESTRICTED LIST | Cradle to Cradle Products Innov Institute (C2CPII) | ration | | Product Standard Restricted (RSL) - Effective July 1, 2022 |
| | | | Core Restriction | os . |
| RESTRICTED LIST | International Living Future Instit | ute (ILFI) | | Challenge 4.0 - Red List of Materials & ective April 1, 2022 |
| | | | Red List substar Challenge V4.0 p | nces to avoid in Living Building projects |

CALCIUM MAGNESIUM CARBONATE

SUBSTANCE NOTES:

ID: 16389-88-1

| HAZARD DATA SOURCE: | Pharos Chemical and Materials Library | HAZARD SCR | REENING DATE: | 2023-02-09 8:05:46 |
|----------------------|---------------------------------------|------------|---------------|------------------------|
| %: 32.0000 - 38.2500 | GreenScreen: NoGS | RC: None | NANO: No | SUBSTANCE ROLE: Filler |

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---------------------|----------------------|--|
| None found | | No warnings found on HPD Priority Hazard Lists |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
| None found | | No listings found on Additional Hazard Lists |
| SUBSTANCE NOTES: | | |

DI(2-ETHYLHEXYL) TEREPHTHALATE

ID: 6422-86-2

| HAZARD DATA SOURCE: | Pharos Chemical and Materials Library | HAZARD S | CREENING DATE: | 2023-02-09 8:05:46 |
|----------------------|---------------------------------------|----------|-------------------|---|
| %: 10.4300 - 22.5000 | GreenScreen: BM-3dg | RC: None | NANO: No | SUBSTANCE ROLE: Plasticizer |
| HAZARD TYPE | LIST NAME AND SOURCE | | WARNINGS | |
| None found | | | No warn | ings found on HPD Priority Hazard Lists |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | | NOTIFICATION | |
| RESTRICTED LIST | Green Science Policy Institute (C | SSPI) | GSPI - Six Classo | es of Problematic Chemicals |
| | | | Some Solvents | |
| SUBSTANCE NOTES: | | | | |

OCTADECANOIC ACID, CALCIUM SALT

ID: 1592-23-0

| HAZARD DATA SOURCE: | Pharos Chemical and Materials Library | HAZARD S | CREENING DATE: | 2023-02-09 8:05:47 |
|---------------------|---------------------------------------|----------|-----------------|---|
| %: 0.4650 - 1.4950 | GreenScreen: LT-UNK | RC: None | NANO: No | SUBSTANCE ROLE: Stabilizer |
| HAZARD TYPE | LIST NAME AND SOURCE | | WARNINGS | |
| None found | | | No war | nings found on HPD Priority Hazard Lists |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | | NOTIFICATION | |
| None found | | | No | listings found on Additional Hazard Lists |
| SUBSTANCE NOTES: | | | | |

OCTADECANOIC ACID, ZINC SALT

ID: 557-05-1

| HAZARD DATA SOURCE: | Pharos Chemical and Materials Library | HAZARD SO | CREENING DATE: | 2023-02-09 8:05:47 |
|---------------------|---------------------------------------|-----------|------------------|--|
| %: 0.4650 - 1.4950 | GreenScreen: LT-UNK | RC: None | NANO: No | SUBSTANCE ROLE: Stabilizer |
| HAZARD TYPE | LIST NAME AND SOURCE | | WARNINGS | |
| AQU | GHS - New Zealand | | Hazardous to the | e aquatic environment - acute category |

| RESTRICTED LIST | | |
|-------------------|--|--|
| 112011110125 2101 | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 |
| | | Biological and Environmentally Released Materials |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 |
| | | Children's Products |

SUBSTANCE NOTES:

BUTANAMIDE, 2,2'-[(3,3'-DICHLORO[1,1'- BIPHENYL]-4,4'-DIYL)BIS(AZO)]BIS[N-(4-CHLORO-2,5 -DIMETHOXYPHENYL)-3-OXO-

ID: 5567-15-7

| RESTRICTED LIST | Cradle to Cradle Products Innov Institute (C2CPII) | ation | | oduct Standard Restricted SL) - Effective July 1, 2022 |
|---------------------|---|-----------|-------------------------------|---|
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | | NOTIFICATION | |
| AQU | GHS - New Zealand | | Hazardous to the accategory 3 | quatic environment - chronic |
| EYE | GHS - New Zealand | | Eye irritation catego | ory 2 |
| HAZARD TYPE | LIST NAME AND SOURCE | | WARNINGS | |
| %: 0.0200 - 0.2500 | GreenScreen: LT-P1 | RC: None | NANO: No | SUBSTANCE ROLE: Ink |
| HAZARD DATA SOURCE: | Pharos Chemical and Materials Library | HAZARD SC | REENING DATE: 20 | 023-02-09 8:05:46 |

OXYBIS(METHYL-2,1-ETHANEDIYL) DIACRYLATE

SUBSTANCE NOTES:

ID: 57472-68-1

| HAZARD DATA SOURCE: | Pharos Chemical and Materials Library | HAZARD SO | CREENING DATE: | 2023-02-09 8:05:47 |
|---------------------|---------------------------------------|-----------|--------------------|---|
| %: 0.0300 - 0.2000 | GreenScreen: LT-UNK | RC: None | NANO: No | SUBSTANCE ROLE: Monomer |
| HAZARD TYPE | LIST NAME AND SOURCE | | WARNINGS | |
| SKI | GHS - New Zealand | | Skin irritation ca | tegory 2 |
| EYE | GHS - New Zealand | | Eye irritation cat | tegory 2 |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | | NOTIFICATION | |
| None found | | | No | listings found on Additional Hazard Lists |
| SUBSTANCE NOTES: | | | | |

POLY(OXY-1,2-ETHANEDIYL), $\alpha\text{-}(1\text{-}OXO\text{-}2\text{-}PROPENYL)$ $-\omega\text{-}[(1\text{-}OXO\text{-}2\text{-}PROPENYL)OXY]\text{-}$

ID: 26570-48-9

| HAZARD DATA SOURCE: | Pharos Chemical and Materials Library | HAZARD SO | CREENING DATE: | 2023-02-09 8:05:47 |
|---------------------|---------------------------------------|-----------|----------------|---|
| %: 0.0250 - 0.1750 | GreenScreen: LT-UNK | RC: None | NANO: No | SUBSTANCE ROLE: Monomer |
| HAZARD TYPE | LIST NAME AND SOURCE | | WARNINGS | |
| None found | | | No war | nings found on HPD Priority Hazard Lists |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | | NOTIFICATION | |
| None found | | | No | listings found on Additional Hazard Lists |
| SUBSTANCE NOTES: | | | | |

| CALCIUM CHLORIDE | | | | ID: 10043-5 |
|---------------------|---------------------------------------|-------------|----------------------------|--|
| HAZARD DATA SOURCE: | Pharos Chemical and Materials Library | HAZARD S | CREENING DATE: | 2023-02-09 8:05:48 |
| %: 0.0100 - 0.1500 | GreenScreen: LT-UNK | RC: None | NANO: No | SUBSTANCE ROLE: Impact modifie |
| HAZARD TYPE | LIST NAME AND SOURCE | | WARNINGS | |
| EYE | EU - GHS (H-Statements) Annex | 6 Table 3-1 | | serious eye irritation [Serious eye tation - Category 2A] |
| SKI | GHS - New Zealand | | Skin irritation ca | itegory 2 |
| EYE | GHS - New Zealand | | Eye irritation cat | tegory 2 |
| EYE | GHS - Australia | | | serious eye irritation [Serious eye tation - Category 2A] |
| EYE | GHS - Japan | | | serious eye damage [Serious eye ritation - Category 1] |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | | NOTIFICATION | |
| POSITIVE LIST | US Environmental Protection Ag | ency (US | US EPA - DfE Sa | afer Chemicals Ingredients list (SCIL) |
| | • | | Enzymes and St Concern) | abilizers - Green Circle (Verified Low |
| SUBSTANCE NOTES: | | | | |

| TITANIUM DIOXIDE | | | | | ID: 13463-67-7 |
|---------------------|---------------------------------------|------------|---------------|--------------------|----------------|
| HAZARD DATA SOURCE: | Pharos Chemical and Materials Library | HAZARD SCI | REENING DATE: | 2023-02-09 8:05:49 | |
| %: 0.0100 - 0.1500 | GreenScreen: LT-1 | RC: None | NANO: No | SUBSTANCE ROLE: | Pigment |

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS | |
|---------------------|---|---|--|
| CAN | US CDC - Occupational Carcinogens | Occupational Carcinogen | |
| CAN | CA EPA - Prop 65 | Carcinogen - specific to chemical form or exposure route | |
| CAN | IARC | Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources | |
| CAN | MAK | Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value | |
| END | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor | |
| CAN | MAK | Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels | |
| CAN | EU - GHS (H-Statements) Annex 6 Table 3-1 | H351 - Suspected of causing cancer [Carcinogenicity - Category 2] | |
| CAN | GHS - Japan | H351 - Suspected of causing cancer [Carcinogenicity - Category 2] | |
| MAM | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] | |
| CAN | EU - Annex VI CMRs | Carcinogen Category 2 - Suspected human Carcinogen | |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION | |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 | |
| | | Cosmetics & Personal Care Products | |
| POSITIVE LIST | US Environmental Protection Agency (US EPA) | US EPA - DfE Safer Chemicals Ingredients list (SCIL) | |
| | , | Colorants - Green Circle (Verified Low Concern) | |

SUBSTANCE NOTES:

HEXANEDIOIC ACID, POLYMER WITH 1,2-ETHANEDIOL AND 1,6-DIISOCYANATO-2,2,4(OR 2,4,4)-TRIMETHYLHEXANE, 2-HYDROXYETHYL ACRYLATE-BLOCKED

ID: 141686-56-8

| HAZARD DATA SOURCE: | Pharos Chemical and Materials Library | HAZARD SCREENING DATE: 2023-02-09 8:05:48 | | |
|---------------------|--|---|-----------------|--|
| %: 0.0100 - 0.1000 | GreenScreen: NoGS | RC: None | NANO: No | SUBSTANCE ROLE: Coating |
| HAZARD TYPE | LIST NAME AND SOURCE | | WARNINGS | |
| None found | No warnings found on HPD Priority Haza | | | nings found on HPD Priority Hazard List |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | | NOTIFICATION | |
| None found | | | No | listings found on Additional Hazard List |
| SUBSTANCE NOTES: | | | | |

| / - 0 00E0 0 0E00 | O | DO: N | NIANIO NI | CLIDCTANCE DOLE ** | | |
|---------------------------|---|--|---|---|--|--|
| %: 0.0050 - 0.0500 | GreenScreen: LT-P1 | RC: None | NANO: No | SUBSTANCE ROLE: Monomer | | |
| HAZARD TYPE | LIST NAME AND SOURCE | | WARNINGS | | | |
| SKI | MAK | MAK | | Sensitizing Substance Sh - Danger of skin sensitization | | |
| MUL | German FEA - Substances Haza Waters | German FEA - Substances Hazardous to Waters | | Class 2 - Hazard to Waters | | |
| SKI | EU - GHS (H-Statements) Annex 6 Table 3-1 | | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2] | | | |
| EYE | EU - GHS (H-Statements) Annex 6 Table 3-1 | | H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A] | | | |
| SKI | GHS - New Zealand | GHS - New Zealand | | Skin irritation category 2 | | |
| EYE | GHS - New Zealand | GHS - New Zealand | | Eye irritation category 2 | | |
| SKI | GHS - Australia | | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2] | | | |
| EYE | GHS - Australia | | H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A] | | | |
| SKI | GHS - New Zealand | | Skin sensitisation category 1 | | | |
| AQU | GHS - Japan | | H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1] | | | |
| AQU | GHS - Japan | | H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1] | | | |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | | NOTIFICATION | | | |
| None found | | No listings found on Additional Hazard Lists | | | | |



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

RFCI FloorScore

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All

CERTIFICATE URL:

https://www.scsglobalservices.com/certifiedclients/certificates/14858

CERTIFICATION AND COMPLIANCE NOTES:

ISSUE DATE: 2022-10-01 EXPIRY DATE: 2023-09-30 CERTIFIER OR LAB: SCS Global

Services



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

(VARIOUS ADHESIVES)

MANUFACTURER (OR GENERIC): Teknoflor

HPD URL: No HPD Available ACCESSORY TYPE: Adhesive

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Refer to the installation manual for this product for a list of approved adhesives and their proper application.



Section 5: General Notes

To preserve manufacturer's full warranty, please refer and adhere to the information contained in the installation manual for this product.

MANUFACTURER INFORMATION

MANUFACTURER: TEKNOFLOR® CONTACT NAME: Arthur Clarke

ADDRESS: 1005 South 60th Street TITLE: Director of Sustainability & Impact

Milwaukee WI 53214, USA PHONE: (203) 561-9722 WEBSITE: https://www.teknoflor.com EMAIL: ac@hmtx.global

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern) BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.